

TO WHOM IT MAY CONCERN

20 June 2002

++ 31 523 624615

CERTIFICATE

Wavin AS – Application in Laboratories

We herewith certify that our Wavin AS system is used in many laboratories in Germany. Wavin AS is resistant against acids and lyes with a pH-value from pH 2 to pH 12. Here we are dealing with requirements as they are defined in DIN 1986 for soil and waste pipes. Because of this, Wavin AS is used in laboratories of schools, in hospitals (e. g. in the Kreiskrankenhaus in Garmisch-Partenkirchen and in the Marienhospital in Papenburg), in dentist's offices, but also in large kitchens and slaughterhouses, where agressive cleaning agents and fatty acids are used, like in the slaughterhouse Emstek, one of the biggest meat-processing companies in Northern Germany.

Kind regards, Wavin GmbH Kunststoff-Rohrsysteme

an The Ne

ADDRESS Rollepaal 19, 7701 BR P.O. Box 158, 7700 AD Dedemsvaart, The Netherlands PHONE +31(0)523-624911 FAX +31(0)523-624600

www.wavinoverseas.com E-MAIL wavin_overseas@wavin.com GOMMEROIAL REGISTER Zwolle 05027521 BANKING

ABN-AMRO Bank, Amsterdam Acc. nr. 44.09.67.937 IBAN: NL30ABNA0440967937 BIC: ABNANL2A VAT NR. NL002828480B04





TO WHOM IT MAY CONCERN

19 June 2002

GSS

Your ref

++ 31 523 624615

CERTIFICATE

Wavin AS – Application in Hospitals

We herewith certify that our Wavin AS system is suitable for the drainage of agressive media. Pipes, which are made of this raw material do not corrode and are resistant against hot water. They meet the requirements of DIN 1986, where utilizability is demanded for the pH-range from 2 to 12.

Because of its sound behaviour, our Wavin AS system has been used for quite a long time more and more in hospitals and doctor's offices. In the past, already a lot of hospitals have been equipped with Wavin AS.

Furthermore, our Wavin AS system is used for all drainage systems inside of buildings, as well as for large kitchens and slaughter houses. Because of the resistance of the raw material, one can expect a long-term functional life.

This statement refers to the pre-inserted sealing elements of the push-fit connection system.

Deposits of cooled down greases are independent of the material and are solely determined by the present hydraulic conditions and the operating temperatures. On account of the smooth inner surface of the pipe there are no incrustations. Therefore, a continuous dissolving of greasy deposits is possible.

With kind regards. Wavin GmbH Kunststoff-Rohrsysteme

Rollepaal 19, 7701 BR P.O. Box 158, 7700 AD Dedemsvaart, The Netherlands

+31(0)523-624911

+31(0)523-624600

www.wavinoverseas.com

wavin_overseas@wavin.come Zwolle 05027521

ABN AMRO Bank, Amsterdam

Overseas

Acc. ar. 44.09.67.937 IBAN: NL30ABNA0440967937 BIC: ABNANL2A VAT NR. NL002828480B04





Referenzliste Wavin AS Krankenhäuser (Auszug)

- Krankenhaus Olpe
 - Krankenhaussanierung; 16 x 8 Stränge in DN 100 Ansprechpartner: Herr Enders, Tel. 02761/65525
- Kreiskrankenhaus Garmisch-Partenkirchen
- Ärztehaus Dortmund, 8 Arztpraxen
 Fa. Bulter, Dülmen, Tel. 02594/5736
- Krankenhaus Sangerhausen
- Klinik Heringsdorf
- Henrikushospital, Südlohn
 Ing.-Büro Helmut Willms, Bocholt
- Alten- und Pflegeheim Marienstift, 111 Pflegeplätze
 Ing.-Büro Monschan, Dorsten
- Sankt Bonifatius Hospital, Lingen
 Ing.-Büro Temmen, Rheine
- Caritas-Verband Diozöse Osnabrück
 Architekturbüro Zugermeier, Oldenburg
- Kuratorium des Marinehospitals, Papenburg; Sanierung
 Ing.-Büro Kuhr, Sögel
- Altenheim, Senden; Erweiterung
- Umbau Frauenklinik, Münster

Planungsbüro: Energieberatung Münster

Rollepaal 19, 7701 BR P.O. Box 158, 7700 AD Dedemsvaart, The Netherlands +31(0)523-624911 FAX +31(0)523-624600 www.wavinoverseas.com

wavin_overseas@wavin.com

Zwolle 05027521







- Krankenhaussanierung in Clausthal-Zellerfeld

Fa. Schweitzer & Partner, Planungsbüro



